



SPECIFICATIONS

	GEOLOGY	Sandstone
	TYPE	100% Splitface
	PATTERN	2:1 Natural Course Heights Random Ashlar
	HEIGHTS	3" - 10"
	LENGTHS	6" - 18"
	DEPTHS	Thin Veneer Only: 3/4" - 1 1/4"
	COLORS	Mostly cream to white with some light tan
	COVERAGE	
	WEIGHT	Thin Veneer: ~13 pounds per square foot
	FLATS	10 s/f Box; 100 s/f Crate, 180 s/f Crate; 100 s/f Pallet, 200 s/f Pallet
	CORNERS	10 l/f Box; 100 l/f Crate; 100 l/f Pallet
	NOTES	

ASTM C-97

Water Absorption %	1.2 psi
Bulk Specific Gravity	

ASTM C-170

Parallel to Rift, Dry	15061 psi
Parallel to Rift, Wet	17103 psi
Perpendicular to Rift, Dry	
Perpendicular to Rift, Wet	

ASTM C-99

Parallel to Rift, Dry	2877 psi
Parallel to Rift, Wet	2688 psi

ASTM C-880

Perpendicular to Rift, Dry	2186 psi
Perpendicular to Rift, Wet	1569 psi

